

Section 4

Clear PVC Pipe

Serviced by GF Little Rock

Effective July 1, 2008



Product Line	Description	Discount
43	PVC Clear Pipe - All Variations	_____

The technical information given in this publication implies no warranty of any kind and is subject to change without notice. Please consult our Terms and Conditions of Sale.

Not for use with compressed air or gases.
DO NOT TEST with air or air over water.

GF Piping DOES NOT RECOMMEND the use of thermoplastic piping products for systems to transport or store compressed air or gases, or the testing of thermoplastic piping systems with compressed air or gases in above or below ground locations. The use of GF Piping products in compressed air or gas systems automatically voids the warranty for such products, and their use against our recommendation is entirely the responsibility and liability of the installer. GF Piping will not accept responsibility for damage or impairment from its products, or other consequential or incidental damages caused by misapplication, incorrect assembly, and/or exposure to harmful substances or conditions.

For more information about any of our product lines, please call (800) 423-2686.

Schedule 40 Clear PVC

Page




Clear Pipe

4.4

Schedule 40 Clear PVC

Clear Pipe

PVC Pipe (Clear) - Belled End



Size [inch]	10-ft plus bell (P/L 43) Part No.	USD	20-ft plus bell (P/L 43) Part No.	USD	
1	8204-010ABP	Call	8204-010BBP	Call	
1 ½	8204-015ABP	Call	8204-015BBP	Call	
2	8204-020ABP	Call	8204-020BBP	Call	
3	8204-030ABP	Call	8204-030BBP	Call	

Size [inch]	Average O.D. [inch]	min. wall [inch]	psi at 73° F	A - Socket Entrance (Belled Pipe)	B - Socket Bottom (Belled Pipe)	C - Minimum (Belled Pipe)
1	1.315	0.133	450	1.325±0.005	1.310±0.004	1.500
1 ½	1.900	0.145	330	1.912±0.006	1.894±0.006	2.000
2	2.375	0.154	280	2.889±0.007	2.861±0.007	2.500
3	3.500	0.216	260	3.516±0.008	3.484±0.008	3.250

PVC Pipe (Clear) - Plain End

Size [inch]	10-ft. length (P/L 43) Part No.	USD	20-ft. length (P/L 43) Part No.	USD	Average O.D. [inch]	min. wall [inch]	psi at 73° F
1	8204-010AA	Call	8204-010AB	Call	1.315	0.133	450
1 ½	8204-015AA	Call	8204-015AB	Call	1.900	0.145	330
2	8204-020AA	Call	8204-020AB	Call	2.375	0.154	280
3	8204-030AA	Call	8204-030AB	Call	3.500	0.216	260

^ = 40% Restock Charge
* = Non-Cancelable/Non-Returnable